

Hopper bench AA





© design by Dirk Wynants

extremis®



Dimensions


The Hopper bench AA is available in 2 lengths




Box dimensions

The Hopper bench AA comes in 2 boxes

Box 1: Tabletop & bench profiles








Box 2: Legs + mounting kit



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper bench AA 240	Box 1	2400	330	270	1	0,21	62,90	58,90	4,00
	Box 2	1125	635	625	1	0,45	37,40	21,20	16,20
total:						0,66	100,30	80,10	20,20
Hopper bench AA 300	Box 1	3000	330	270	1	0,27	70,50	65,20	5,30
	Box 2	1125	635	625	1	0,45	37,40	21,20	16,20
total:						0,72	107,90	86,40	21,50

Stabilizing support

The stabilizing support is available in 1 dimensions



Dimensions (mm)	L
Hopper bench 240	3426
Hopper bench 300	3026

Stabilizing support box

The stabilizing support comes in 1 box

Box 3: Stabilizing support




Box dimensions (mm)		L	W	H	Qty	Volume (m ³)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Stabilizing support powder coated	Box 3	620	310	55	1	0,01	16,80	16,40	0,40

Floor fastening

Hopper bench always comes with two anchoring holes per leg


When used freestanding with no stabilizing supports

Mark the spots on the ground | Use the fixing media most suited to the type of ground on which you intend to install Hopper bench





Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world, please review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements



Only accessible on side with no bench



Tabletop, bench, legs & stabilizing support



Black (RAL9005)
Structured powder coating



Earth
Structured powder coating



Beach beige (RAL1019)
Structured powder coating



Off white (RAL9002)
Structured powder coating



Verdigris
Structured powder coating



Reed green (RAL6013)
Structured powder coating



Copper brown (RAL8004)
Structured powder coating



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Structured powder coated aluminium tabletop, bench & legs	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	8	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN -EN13501-1 A2-s1 **
Structured powder coated zinc steel stabilizing support	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	8	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN -EN13501-1 A2-s1 **

NEN-EN13501-1 A2-s1

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- The Hopper bench legs are cut out of an aluminium or metal sheet nearly without any loss of material.

Floor fastening


Hopper bench AA always has two anchoring holes per leg (ø 12mm), to be fixed with bolts.



Important

Use our packaging material for better support to attach the legs to the tabletop.

1. Leave the box on the pallet.
2. Remove the lid of the box.
3. Take the legs out of the box.
4. Put the lid back on the box.
5. Put the tabletop on top of the box.
6. Assemble the Hopper bench AA.




Maintenance

POWDER COATED PARTS

- White powder coating obviously requires more maintenance.

Applications


Against a balustrade or against a wall.



Freestanding (anchored to the floor)



Freestanding with stabilizing supports



Warnings ⚠

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the bench, but carry it with minimum 2 people.

- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 240 cm: max. 5 people or 881 lb per bench - 300 cm: max. 6 people or 1058 lb per bench.
- Regularly clean the flat surface of the legs.
- Always fix the Hopper bench to the ground when you are not using the stabilizing supports.
- The bench allows you to sit on the tabletop.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-s1 - Satisfying the same criteria as Class B for the

SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.

- Dark colors can get very hot in sunny weather.