

Cut Back

Design:

DAVID LOPEZ QUINCOCES



MATERIALS

Structure:
satin bronze-coloured coated extruded aluminium.

Diffuser:
transparent ribbed (millerighe) glass.

Wall-mounted version:
Lamp with integrated AC adapter (24V output). Metal touch dimmer integrated, with synchronised dimming of the two light sources.

Pendant version:
Ceiling rose with integrated AC adapter (24V output). Ceiling rose with integrated dimmer (PUSH / 0-10 / DALI / PHASE-CUT).

Floor version:
plug-in AC adapter (24V output). Metal touch dimmer integrated, with dimming for each light source.

NOTE

Product sheet conforms to current consumer information laws.

ECOLOGY

Avoid release to the environment after use, please call your local refuse disposal company for dumping or recycling.

RECOMMENDED USE

Private use

WARNING

Switch off the supply of electricity before carrying out any work on the lamp. Keep out of reach of children.

If the external flexible cable of this appliance is damaged, it must be replaced solely by the manufacturer, using its service or equivalent qualified personnel in order to avoid danger or risks.

Pendant version

Wall version

INPUT SOURCE 100÷240V - 50/60Hz
H 178cm LED 60W, 24V
H 227cm LED 90W, 24V

INPUT SOURCE 100÷240V - 50/60Hz
H 100cm LED 40W, 24V
H 150cm LED 60W, 24V



Floor version

INPUT SOURCE 100÷240V - 50/60Hz
LED 60W, 24V



SPECIFICATIONS

Coated aluminium

Powder-coated or liquid painted aluminium.

Blown or moulded glass / Pyrex

Any small bubbles, streaks and marks present on the surface are inherent to the glassmaking process and are not to be considered defects.

MAINTENANCE

Painted metal

Clean with soft cloth. For in-depth cleaning use neutral cleanser diluted in water to moisten the cloth used for the cleaning. Dry the surface with a soft cloth.

Do not use abrasive products or solvents or cleaners containing solvents, ammonia or aggressive degreasing agents, they may ruin or spoil the paintwork of the product.

Do not spray cleaning products directly on the surface. Spray onto the cloth before use.

Glass

For removing dust and fingerprints clean the surfaces with dry cloth and Casa 9 multi-purpose cleaner by Nuncas.

If the specific product is not available, please use a common window cleaning agent, rinsing and drying very well.

Do not use cleaners containing acids, scourers, abrasive detergents and creams.

Clean the surface with residue-free microfibre cloths.

Cut Back

Design:

DAVID LOPEZ QUINCOCES



MATERIALI

Struttura lampada:
estruso di alluminio verniciato color bronzo satinato.

Diffusore:
vetro trasparente millerighe.

Versione a parete:
alimentatore integrato nella lampada (output 24V). Dimmer metal touch integrato, con dimmerazione sincronizzata delle due fonti luminose.

Versione a sospensione:
alimentatore integrato nel rosone (output 24V). Dimmer integrato nel rosone (PUSH / 0-10 / DALI / CUT PHASE).

Versione da terra:
alimentatore a spina (output 24V). Dimmer metal touch integrato, con dimmerazione per ogni fonte luminosa.

NOTA

Scheda prodotto realizzata in ottemperanza alla legislazione vigente in materia di informazione del consumatore.

ECOLOGIA

Non disperdere nell'ambiente dopo l'uso, ma chiamare l'azienda comunale di smaltimento rifiuti solidi urbani per il suo trasporto in discarica o recupero.

DESTINAZIONE D'USO CONSIGLIATA

Domestico

ATTENZIONE!

Interrompere il flusso di energia elettrica prima di qualsiasi intervento sulla lampada.

Tenere lontano dalla portata dei bambini.

Se il cavo flessibile esterno di questo apparecchio viene danneggiato deve essere sostituito esclusivamente dal costruttore, dal suo servizio di assistenza o da personale qualificato equivalente, al fine di evitare pericoli.

Pendant version

Wall version

INPUT 100÷240V - 50/60Hz
SOURCE H 178cm LED 60W, 24V
H 227cm LED 90W, 24V

INPUT 100÷240V - 50/60Hz
SOURCE H 100cm LED 40W, 24V
H 150cm LED 60W, 24V



Floor version

INPUT 100÷240V - 50/60Hz
SOURCE LED 60W, 24V



CARATTERISTICHE

Alluminio verniciato

Alluminio con verniciatura a liquido o a polvere.

Vetro soffiato o stampato / Pyrex

Eventuali piccole bolle, aloni e segni presenti sulla superficie sono dovuti dalle lavorazioni del vetro, da non considerarsi difetti.

MANUTENZIONE

Metallo verniciato

Pulire la superficie con un panno morbido. Per la pulizia più profonda lavare le superfici con un panno morbido e una soluzione di acqua e un detergente neutro. Asciugare la superficie con un panno morbido.

Non utilizzare materiali abrasivi, solventi o detersivi con solventi, ammoniaca e sgrassanti aggressivi, potrebbero compromettere la verniciatura del prodotto.

Non spruzzare il detergente liquido direttamente sulle parti da pulire, ma su un panno.

Vetro

Per eliminare polvere e impronte dalle superfici pulire con uno straccio asciutto, Nuncas Casa9 detergente multiuso.

In mancanza del prodotto specifico utilizzare prodotti per la pulizia dei vetri avendo l'accortezza di risciacquare e asciugare bene.

Non utilizzare detersivi contenenti acidi, pagliette, detersivi e creme abrasive.

Pulire la superficie con panni in microfibra che non lascino residui.